



# Distribution of Austral Species of Staphylinidea

Part 5. Genera and species of

**AGYRTIDAE, LEIODIDAE, and SILPHIDAE**

occurring in Australia, New Zealand, Chile and/or southern Argentina,  
or South Africa (also Madagascar) and neighboring islands

- Taxa are listed alphabetically within the next-higher taxon
- Distributions listed for many species reflect only the type locality; additional data may include unpublished records
- UPPERCASE abbreviations represent *regional* distributions of genera; this may include undescribed (therefore unlisted) species  
AUST= Australian, NZ=New Zealandian, CH-A=Chilean/southern Argentinian, S AFR=South African, MAD=Madagascan
- Lists of the codes or abbreviations within countries or regions follow the species list
- The abbreviations n, s, e, w indicate north(ern), south(ern), east(ern), or west(ern), respectively
- A "+" sign at the right edge indicates that the taxon (genus, species, or subspecies) also occurs in one or more other regions
- New Caledonia is coded as BOTH Pacific and New Zealand regions, thus even taxa endemic to New Caledonia will always have a + sign; some other islands are also coded and listed geographically rather than politically (see island list on the web site)
- See the searchable databases for details of extralimital distributions, synonyms, and bibliographic references
- Species known or strongly suspected to be adventive in a region or country have "(intro)" under that region; this information is undoubtedly incomplete

Creation and maintenance of the database from which this information is extracted have been supported by:

- NSF Grant No. 0118749 (PEET program) to the Field Museum of Natural History (Margaret Thayer, PI, Alfred Newton, co-PI);
- NSF Grant No. 8814449 (collection inventory database of Field Museum Staphylinidae, Alfred Newton, PI); and
- the Field Museum of Natural History.

Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

Corrections and updates are welcome. Please contact Al Newton <[anewton@fieldmuseum.org](mailto:anewton@fieldmuseum.org)>

Suggested form of citation:

Thayer, M. K. and A. F. Newton. Austral species of Agyrtae, Leiodidae, and Silphidae [online]. Chicago: Field Museum of Natural History <5\_AgLiSi.pdf, 27 August 2005>. Available from URL: <[http://www.fieldmuseum.org/peet\\_staph/db\\_1c.html](http://www.fieldmuseum.org/peet_staph/db_1c.html)> Downloaded [your download/access date].

AGYRTIDAE  
NECROPHILINAE***Zeanecrophilus******Zeanecrophilus prolongatus* (Sharp, 1881)****NZ**New Zealand:  
mostly SO***Zeanecrophilus thayerae* Newton, 1997**New Zealand:  
mostly NOLEIODIDAE  
CAMIARINAE  
AGYRTODINI***Afropelates******Afropelates joannae* Jeannel, 1964c****S AFR**

S. Afr. (Transvaal)

***Afropelates latitarsis* Jeannel, 1964c**

S. Afr. (KwaZulu-Natal)

***Afropelates leleupi* Jeannel, 1964c**

S. Afr. (Transvaal)

***Agyrtodes*****AUST****NZ****CH-A*****Agyrtodes atropos* (Blackburn, 1903)**

Australia: V,T

***Agyrtodes bicolor* (Broun, 1880)**

New Zealand: CL

***Agyrtodes crassus* Zwick, 1979**

Australia: nQ,sQ

***Agyrtodes decoratus* Zwick, 1979**

Australia: V

***Agyrtodes disparatus* Szymczakowski, 1973b**

New Zealand: ND

***Agyrtodes eucalypti* Zwick, 1979**

Australia: V

***Agyrtodes hunuensis* (Broun, 1893a)**

New Zealand: AK

***Agyrtodes koebelei* (Blackburn, 1903)**Australia:  
nQ,NSW***Agyrtodes labralis* (Broun, 1921b)**

New Zealand: NN

***Agyrtodes monticola* (Broun, 1893a)**

New Zealand: WO

***Agyrtodes nebulosus* (Broun, 1880)**

New Zealand: CL

***Agyrtodes nemoralis* (Broun, 1909b)**

New Zealand: MC

***Agyrtodes ovatus* Portevin, 1907a**

Chile: Sant-Chil

***Agyrtodes tasmanicus* Zwick, 1979**

Australia: T

***Agyrtodes variegatus* Jeannel, 1936a**Australia:  
sQ,NSW

<b><i>Agyrtolasia</i></b>	<b>AUST</b>	
<b><i>Agyrtolasia calliptera</i> Szymczakowski, 1973b</b>	Australia: sQ,nNSW	
<b><i>Chelagyrtodes</i></b>	<b>NZ</b>	
<b><i>Chelagyrtodes crowsoni</i> Szymczakowski, 1973b</b>	New Zealand: WN	
<b><i>Chiliopelates</i></b>		<b>CH-A</b>
<b><i>Chiliopelates crenulatus</i> (Hlisnikovský, 1964b)</b>		Argentina: RN
<b><i>Chiliopelates edeniensis</i> (Jeannel, 1962b)</b>		Chile
<b><i>Chiliopelates fasciatus</i> (Jeannel, 1936a)</b>		Argentina: RN
<b><i>Chiliopelates kuscheli</i> (Jeannel, 1957e)</b>		Chile
<b><i>Chiliopelates latipennis</i> (Jeannel, 1957e)</b>		Chile
<b><i>Chiliopelates monticola</i> (Jeannel, 1962b)</b>		Chile
<b><i>Chiliopelates naumanni</i> (Szymczakowski, 1976b)</b>		Argentina: N
<b><i>Chiliopelates nigrus</i> (Jeannel, 1962b)</b>		Chile: Con-Ai
<b><i>Chiliopelates ornatus</i> (Jeannel, 1957e)</b>		Chile: Ñub; Argentina: RN
<b><i>Chiliopelates pictus</i> (Jeannel, 1957e)</b>		Chile
<b><i>Chiliopelates ventricosus</i> (Jeannel, 1957e)</b>		Chile
<b><i>Cholevomorpha</i></b>	<b>AUST</b>	
<b><i>Cholevomorpha picta</i> Blackburn, 1891b</b>	Australia: NSW,ACT,V,T	
<b><i>Dasypelates</i></b>		<b>CH-A</b>
<b><i>Dasypelates gracilis</i> Portevin, 1907a</b>		Chile: Ñub-Chil; Argentina
<b><i>Dasypelates nebulosus</i> (Jeannel, 1957e)</b>		Chile
<b><i>Dictydiella</i></b>		<b>S AFR</b>
<b><i>Dictydiella leleupi</i> Jeannel, 1964c</b>		S. Afr. (Cape)
<b><i>Dictydiella turneri</i> Jeannel, 1936a</b>		S. Afr. (Cape)
<b><i>Eupelates</i></b>		<b>CH-A</b>
<b><i>Eupelates transversestrigosus</i> (Fairmaire &amp; Germain, 1859)</b>		Chile: Acon,Sant-Chil; Argentina: Chu,N,RN

<b><i>Paragyrtodes</i></b>	<b>AUST</b>	
<b><i>Paragyrtodes candens</i> Szymczakowski, 1966</b>	Australia: sNSW,ACT,V	
<b><i>Paragyrtodes modestus</i> Szymczakowski, 1966</b>	Australia: sQ,NSW,ACT,V	
<b><i>Paragyrtodes percalceatus</i> Szymczakowski, 1966</b>	Australia: T	
<b><i>Ragyrodina</i></b>		<b>CH-A</b>
<b><i>Ragyrodina tuberculosa</i> Jeannel, 1957e</b>		Chile: Ñub-Chil; Argentina: RN
<b><i>Zeagyrtes</i></b>	<b>AUST</b>	<b>NZ</b>
<b><i>Zeagyrtes antennalis</i> (Broun, 1880)</b>		New Zealand: CL
<b><i>Zeagyrtes vitticollis</i> Broun, 1917</b>	Australia: sQ [in error?]	New Zealand: AK
<b><i>Zeagyrtoma</i></b>		<b>NZ</b>
<b><i>Zeagyrtoma separanda</i> Szymczakowski, 1966</b>		New Zealand
<b><i>Zeagyrtoma undulata</i> (Broun, 1880)</b>		New Zealand: CL,ND,BR
<b><i>Zearagyrtodes</i></b>		<b>NZ</b>
<b><i>Zearagyrtodes brouni</i> Jeannel, 1936a</b>		New Zealand: CL
<b><i>Zearagyrtodes concinnus</i> (Broun, 1880)</b>		New Zealand: CL
<b><i>Zearagyrtodes maculifer</i> (Broun, 1880)</b>		New Zealand: ND
CAMIARINI		
<b><i>Baeosilpha</i></b>		<b>NZ</b>
<b><i>Baeosilpha rufescens</i> Broun, 1895</b>		New Zealand: BP,WO
<b><i>Camiarites</i></b>		<b>NZ</b>
<b><i>Camiarites convexus</i> (Sharp, 1876d)</b>		New Zealand
<b><i>Camiarites indiscretus</i> (Broun, 1880)</b>		New Zealand: ND
<b><i>Camiarus</i></b>		<b>NZ</b>
<b><i>Camiarus estriatus</i> Broun, 1912a</b>		New Zealand: TO
<b><i>Camiarus thoracicus</i> (Sharp, 1876d)</b>		New Zealand: AK

**Inocatops****NZ****Inocatops compactus** Broun, 1893aNew Zealand:  
CO, DN, SL, SI**Inocatops concinnus** (Broun, 1880)

New Zealand: CL

**Inocatops elongellus** Broun, 1917

New Zealand: OL

**Inocatops flectipes** Broun, 1893a

New Zealand: DN

**Inocatops granipennis** Broun, 1917

New Zealand: NN

**Inocatops impressus** Broun, 1921a

New Zealand: WN

**Inocatops nigrescens** Broun, 1893a

New Zealand: DN

**Inocatops separatus** Broun, 1917

New Zealand: MC

**Inocatops spinifer** Broun, 1917

New Zealand: NN

**Neocamiarus****CH-A****Neocamiarus kuscheli** Jeannel, 1957e

Chile: Bio-Mag; Argentina

**N. kuscheli chilotus** Jeannel, 1962b

Chile: Chil

**N. kuscheli edeniensis** Jeannel, 1962b

Chile: Mag

**N. kuscheli kuscheli s. str.**

Chile: Bio, LI, Chi, Ai

**Zenocolon****NZ****Zenocolon laevicollis** Broun, 1917

New Zealand: MC

## NEOPELATOPINI

**Catopsolius****NZ****Catopsolius laevicollis** Sharp, 1886a

New Zealand: BR

**Catopsolius nitidus** (Broun, 1893a)

New Zealand: AK

**Eublackburniella****AUST****Eublackburniella extranea** (Blackburn, 1903)

Australia: SA

**Eublackburniella kireitshuki** Perkovsky, 1995a

Australia: T

**Myrmicholeva****AUST****Myrmicholeva acutifrons** Lea, 1910bAustralia:  
NSW, ACT, V, T**Myrmicholeva lata** Lea, 1910b

Australia: sWA

**Myrmicholeva ligulata** Lea, 1910b

Australia: T

**Myrmicholeva punctata** Lea, 1910b

Australia: sWA

<b><i>Neopelatops</i></b>	<b>AUST</b>	<b>CH-A</b>	
<b>Neopelatops chillanensis Jeannel, 1962b</b>		Chile: Ñub,Bio	
<b>Neopelatops edwardsi Jeannel, 1936a</b>		Chile: Ñub-Ai; Argentina: N,RN	
<b><i>Ragytodes</i></b>		<b>CH-A</b>	
<b>Ragytodes ocellifer Jeannel, 1936a</b>		Chile: Ñub,Mall,Vald,Chil; Argentina: N,RN	
<b><i>Sphaeropelatops</i></b>		<b>CH-A</b>	<b>+</b>
<b>Sphaeropelatops globosus Jeannel, 1962b</b>		Chile: Valp,Con	
CHOLEVINAE			
ANEMADINI			
EUNEMADINA			
<b><i>Austrocholeva</i></b>	<b>AUST</b>		
<b>Austrocholeva platypus Zwick, 1979</b>	Australia: V		
<b>Austrocholeva williamsi Zwick, 1979</b>	Australia: V		
<b><i>Austronargus</i></b>	<b>AUST</b>		
<b>Austronargus semota (Szymczakowski, 1966)</b>	Australia: sWA		
<b>Austronargus tidbinbillae Zwick, 1979</b>	Australia: ACT,V		
<b><i>Austronemadus</i></b>	<b>AUST</b>		
<b>Austronemadus macleayi (Blackburn, 1903)</b>	Australia: V,SA		
<b>Austronemadus neboissi Zwick, 1979</b>	Australia: V		
<b><i>Catoposchema</i></b>	<b>AUST</b>		
<b>Catoposchema tasmaniae Jeannel, 1936a</b>	Australia: NSW,ACT,V,T		
<b><i>Eunemadus</i></b>		<b>CH-A</b>	
<b>Eunemadus chilensis Portevin, 1914b</b>		Chile: Tal,Ñub,Con,Mall, Caut,Vald,Osor,LI,Chil, Pal,Ai; Argentina: RN	
<b><i>Falkocholeva</i></b>		<b>CH-A</b>	
<b>Falkocholeva cribellata (Fairmaire &amp; Germain, 1859)</b>		Chile: Tal,Ñub,Con,Mall, Caut,Vald,Osor,LI,Pal, Coi,Ai,Mag; Argentina: RN,SC,TF,FI	

**Falkonemadus****CH-A****Falkonemadus avicularis** Salgado, 2002

Chile: Caut, Osor

**Falkonemadus similaris** Salgado, 2002

Chile: Ñub, Mall, Caut, Chil

**Falkonemadus sphenisci** Szymczakowski,  
1961aChile: Tal, Mall, Caut, Vald,  
LI, Chil, Pal; Argentina: FI**Nargiotes****AUST****Nargiotes annalaurae** Giachino & Peck, 2003

Australia: V

**Nargiotes athertoni** Giachino & Peck, 2003

Australia: neQ

**Nargiotes bawbawi** Giachino & Peck, 2003

Australia: V

**Nargiotes beatricis** Giachino & Peck, 2003Australia:  
seQ, neNSW**Nargiotes blackburni** (Portevin, 1905a)

Australia: V

**Nargiotes gordonii** Giachino & Peck, 2003

Australia: T

**Nargiotes lawrencei** Giachino & Peck, 2003

Australia: seQ

**Nargiotes leptocerus** Szymczakowski, 1973b

Australia: c, sQ

**Nargiotes monteithi** Giachino & Peck, 2003

Australia: neQ

**Nargiotes montisfusci** Giachino & Peck, 2003

Australia: seNSW

**Nargiotes newtoni** Giachino & Peck, 2003

Australia: V

**Nargiotes nothofagi** Giachino & Peck, 2003Australia:  
neNSW**Nargiotes procerus** Zwick, 1979

Australia: NSW

**Nargiotes queenslandicum** Giachino & Peck,  
2003

Australia: neQ

**Nargiotes szymczakowskii** Giachino & Peck,  
2003

Australia: seQ

**Nargiotes tasmanianum** Giachino & Peck,  
2003

Australia: T

**Nargiotes thayerae** Giachino & Peck, 2003

Australia: V

**Nargiotes thompsoni** Giachino & Peck, 2003

Australia: neQ

**Nargiotes victoriensis** Giachino & Peck, 2003

Australia: V

**Nargiotes zwicki** Giachino & Peck, 2003Australia:  
seNSW, eV

<i>Nargomorphus</i>	AUST
<i>Nargomorphus acutangulus</i> Zwick, 1979	Australia: V
<i>Nargomorphus amplicollis</i> Szymczakowski, 1963a	Australia: sWA
<i>Nargomorphus apicalis</i> Szymczakowski, 1963a	Australia: T
<i>Nargomorphus bryanti</i> Jeannel, 1936a	Australia: nNSW
<i>Nargomorphus catopoides</i> Zwick, 1979	Australia: V
<i>Nargomorphus cholevoides</i> Jeannel, 1936a	Australia: WA
<i>Nargomorphus confertus</i> Szymczakowski, 1963a	Australia: V,T
<i>Nargomorphus consimilis</i> Szymczakowski, 1963a	Australia: V,T
<i>Nargomorphus coryneforus</i> Szymczakowski, 1963a	Australia: sQ
<i>Nargomorphus crassicornis</i> Zwick, 1979	Australia: V
<i>Nargomorphus filitarsis</i> Szymczakowski, 1973b	Australia: sQ
<i>Nargomorphus globulus</i> Jeannel, 1936a	Australia: NSW,ACT,V,SA
<i>Nargomorphus improcerus</i> Szymczakowski, 1963a	Australia: sWA
<i>Nargomorphus jeanneli</i> Szymczakowski, 1963a	Australia: ACT,V,T
<i>Nargomorphus leanus</i> Szymczakowski, 1963a	Australia: V,T
<i>Nargomorphus minusculus</i> (Blackburn, 1891b)	Australia: SA
<i>Nargomorphus nitidus</i> Szymczakowski, 1963a	Australia: V,T,SA
<i>Nargomorphus ornativenter</i> Zwick, 1979	Australia: V
<i>Nargomorphus semirufus</i> (Portevin, 1903a)	Australia: V,SA
<i>Nargomorphus victoriensis</i> (Blackburn, 1891b)	Australia: V,T
<i>N. victoriensis tasmaniae</i> Jeannel, 1936a	Australia: T
<i>N. victoriensis victoriensis</i> s. str.	Australia: V

<b><i>Nemadiolus</i></b>	<b>CH-A</b>
<b>Nemadiolus angustitarsis Salgado, 2001a</b>	Chile: Mall
<b>Nemadiolus crassicornis Jeannel, 1962b</b>	Chile
<b>Nemadiolus germaini Jeannel, 1936a</b>	Chile
<b>Nemadiolus kuscheli Jeannel, 1962b</b>	Chile
<b>Nemadiolus newtoni Salgado, 2001a</b>	Chile: Ñub, Mall, Caut, Osor
<b>Nemadiolus oblongus Jeannel, 1962b</b>	Chile
<b><i>Nemadiopsis</i></b>	<b>CH-A</b>
<b>Nemadiopsis barbarae Szymczakowski, 1968</b>	Chile: Tal, Ñub, Mall, Caut, Vald, Osor; Argentina: Chu, TF
<b>Nemadiopsis curvipes Salgado, 2002</b>	Chile: Mall, Caut, Vald, Osor, LI
<b>Nemadiopsis fastidiosus (Fairmaire &amp; Germain, 1859)</b>	Chile: Acon, ElqQuil, Tal, Ñub, Con, Mall, Caut, Vald, Osor, LI, Chil, Pal, Ai, Coi, Mag, UE; Argentina: RN
<b>Nemadiopsis franki Perreau, 2002</b>	Argentina: TF
<b>Nemadiopsis grossicornis Salgado, 2002</b>	Chile: Caut, Vald, Osor, LI, Pal
<b>Nemadiopsis rotundatus Salgado, 2002</b>	Chile: Quil, Tal, Ñub, Mall, Caut, Vald, Osor, LI
<b>Nemadiopsis rufimanus Jeannel, 1962b</b>	Chile: Quil, Tal, Ñub, Con, Mall, Caut, Vald, Osor, LI, Chil, Pal
<b>Nemadiopsis trichophorus Szymczakowski, 1971b</b>	Chile: Tal, Ñub, Con, Mall, Caut, Vald, Osor, LI, Pal
<b><i>Nemadotropis</i></b>	<b>CH-A</b>
<b>Nemadotropis stenosoma Szymczakowski, 1971b</b>	Chile: Tal, Ñub, Con, Mall, Caut, Vald, Osor, LI, Chil
<b><i>Newtoniopsis</i></b>	<b>CH-A</b>
<b>Newtoniopsis malleatus (Szymczakowski, 1976b)</b>	Chile: Tal, Ñub, Mall, Caut, Osor; Argentina: N

<b><i>Paranemadus</i></b>	<b>AUST</b>		
<b><i>Paranemadus striatopunctatus</i> Zwick, 1979</b>	Australia: ACT,V		
<b><i>Pseudonemadus</i></b>	<b>AUST</b>	<b>NZ</b>	<b>+</b>
<b><i>Pseudonemadus adelaidae</i> (Blackburn, 1891b)</b>	Australia: Q,NSW,ACT,V,T, SA,sWA,LHI		
<b><i>Pseudonemadus australis</i> (Erichson, 1842a)</b>	Australia: ACT,V,T,SA		
<b><i>Pseudonemadus compactus</i> Szymczakowski, 1966</b>	Australia: NSW,ACT,V,T		
<b><i>Pseudonemadus elegans</i> Zwick, 1979</b>	Australia: V		
<b><i>Pseudonemadus exiguus</i> Szymczakowski, 1966</b>	Australia: nQ		
<b><i>Pseudonemadus integer</i> (Portevin, 1903a)</b>	Australia: Q,NSW,V		
<b><i>Pseudonemadus irregularis</i> Zwick, 1979</b>	Australia: nQ		
<b><i>Pseudonemadus lituratus</i> (Broun, 1880)</b>		New Zealand: CL	
<b><i>Pseudonemadus obscurus</i> (MacLeay, W.J., 1871)</b>	Australia: sQ		
<b><i>Pseudonemadus pusillus</i> Zwick, 1979</b>	Australia: nQ		
<b><i>Pseudonemadus sagittarius</i> Szymczakowski, 1971b</b>	Australia: nQ		
<b><i>Pseudonemadus transvestitus</i> Zwick, 1979</b>	Australia: V		
<b><i>Rangiola</i></b>	<b>AUST</b>		
<b><i>Rangiola punctipennis</i> Jeannel, 1936a</b>	Australia: NSW		
<b><i>Rangiola rubrifasciata</i> Zwick, 1979</b>	Australia: sQ		
PARACATOPINA			
<b><i>Mesocolon</i></b>		<b>NZ</b>	
<b><i>Mesocolon caecum</i> (Broun, 1912a)</b>		New Zealand: TO	
<b><i>Mesocolon castaneum</i> (Broun, 1912a)</b>		New Zealand: TO	
<b><i>Mesocolon clathratum</i> Broun, 1880</b>		New Zealand: CL,ND	
<b><i>Mesocolon crassipes</i> Szymczakowski, 1973b</b>		New Zealand: NN	

<b>Mesocolon crenatellum (Broun, 1921b)</b>	New Zealand: BR
<b>Mesocolon microps Jeannel, 1936a</b>	New Zealand: CO
<b>Mesocolon nesobium Jeannel, 1936a</b>	New Zealand: ND
<b>Mesocolon puncticeps Broun, 1880</b>	New Zealand: CL
<b>Mesocolon retractum Szymczakowski, 1963b</b>	New Zealand
<hr/>	
<b><i>Paracatops</i></b>	<b>NZ</b>
<b>Paracatops acantharius Szymczakowski, 1973b</b>	New Zealand: BP
<b>Paracatops alacris (Broun, 1880)</b>	New Zealand: CL
<b>Paracatops antipoda (Kirsch, 1877)</b>	New Zealand: AU
<b>Paracatops brounianus Jeannel, 1936a</b>	New Zealand: OL
<b>Paracatops brunneipes (Broun, 1911a)</b>	New Zealand: CH (Pitt I.)
<b>Paracatops campbellicus (Brookes, 1951)</b>	New Zealand: CA
<b>Paracatops dickensis Jeannel, 1936a</b>	New Zealand: OL
<b>Paracatops fulvitaris (Broun, 1886)</b>	New Zealand: AK
<b>Paracatops granifer (Broun, 1886)</b>	New Zealand: DN
<b>Paracatops lugubris (Sharp, 1882c)</b>	New Zealand: BR
<b>Paracatops phyllobius (Broun, 1893a)</b>	New Zealand: AK
<b>Paracatops pogonomerus Szymczakowski, 1973b</b>	New Zealand: ND
<b>Paracatops relatus (Broun, 1893a)</b>	New Zealand: ND to DN
<b>Paracatops suturalis (Broun, 1895)</b>	New Zealand: SL
<b>Paracatops triangulus Jeannel, 1936a</b>	New Zealand: DN,OL,SL

## ORITOCATOPINI

<b><i>Afrocatops</i></b>	<b>S AFR</b>	<b>+</b>
<b>Afrocatops basilewskyi (Jeannel, 1960h)</b>	S. Afr. (Cape)?	<b>+</b>
<b>Afrocatops capicola Jeannel, 1964c</b>	S. Afr. (Cape)	
<b>Afrocatops joannae Jeannel, 1964c</b>	S. Afr. (Cape)	

<b>Afrocatops napieranus</b> Jeannel, 1964c					S. Afr. (Cape, KwaZulu-Natal)	
<b>Afrocatops natalensis</b> (Jeannel, 1936a)					S. Afr. (KwaZulu-Natal, Transvaal)	
<b>Afrocatops oblongus</b> Jeannel, 1964c					S. Afr. (Cape)	
<b>Afrocatops punctulatus</b> Jeannel, 1964c					S. Afr. (Cape)	
PTOMAPHAGINI						
PTOMAPHAGINA						
<b>Adelopsis</b>				CH-A		+
<b>Adelopsis picunche</b> (Gnaspini, 1991b)				Argentina: N		
COLONINAE						
<b>Colon</b>	AUST	NZ		CH-A	S AFR	+
<b>Colon angulicolle</b> Szymczakowski, 1964b	Australia: NSW					
<b>Colon antennatum</b> Szymczakowski, 1964b	Australia: T,WA					
<b>Colon brachycneme</b> Szymczakowski, 1964b	Australia: SA					
<b>Colon brincki</b> Schweiger, 1960a					S. Afr. (Cape)	
<b>Colon capense</b> Schweiger, 1960a					S. Afr. (Cape)	
<b>Colon diacanthopus</b> Szymczakowski, 1964b	Australia: SA					
<b>Colon hirtale</b> (Broun, 1880)		New Zealand: CL				
<b>Colon inauratum</b> Szymczakowski, 1964b	Australia: sQ					
<b>Colon koghiense</b> Perreau, 2004		New Caledonia				+
<b>Colon melbournense</b> Blackburn, 1892	Australia: V,T					
<b>Colon natalense</b> Schweiger, 1960a					S. Afr. (KwaZulu-Natal)	
<b>Colon pugioniferum</b> Szymczakowski, 1964b	Australia: SA					
<b>Colon punctillum</b> Szymczakowski, 1963c					S. Afr. (KwaZulu-Natal)	
<b>Colon rudebecki</b> Schweiger, 1960a					S. Afr. (Free State, KwaZulu-Natal); Lesotho	
<b>Colon rugulosum</b> Szymczakowski, 1970b	Australia: sWA					
<b>Colon schweigeri</b> Szymczakowski, 1963c					S. Afr. (KwaZulu-Natal)	+
<b>Colon sobrinum</b> Szymczakowski, 1965b				Argentina: RN		
<b>Colon sulcicolle</b> Portevin, 1907a					S. Afr. (Cape)	

<b>Colon topali</b> Szymczakowski, 1965b		Argentina: RN			
<b>Colon valdivianum</b> Szymczakowski, 1970a		Chile			
<b>Colon vespertilio</b> Szymczakowski, 1970c			S. Afr. (KwaZulu-Natal)		
LEIODINAE					
AGATHIDIINI					
<i>Afroagathidium</i>					
<b>Afroagathidium capense</b> Angelini & Peck, 1984			S AFR		+
			S. Afr. (Cape, KwaZulu-Natal, n Transvaal)		
<i>Pseudoagathidium</i>					
<b>Pseudoagathidium burgeoni</b> (Portevin, 1937a)			S AFR		+
			S. Afr. (E. Transvaal)		+
<b>Pseudoagathidium rhodesianum</b> (Hlisnikovský, 1974b)			S. Afr.		+
<b>P. rhodesianum leleupi</b> Angelini & De Marzo, 1987b			S. Afr. (Natal, Transvaal)		
<b>P. rhodesianum rhodesianum s. str.</b>			S. Afr.		
ESTADIINI					
<b>Dietta</b>	AUST		S AFR	MAD	+
<b>Dietta bicolor</b> Peck, 2003			S. Afr. (Eastern Cape, Western Cape)		
<b>Dietta brevis</b> Hlisnikovský, 1968a	Australia: SA				
<b>Dietta capensis</b> Peck, 2003			S. Afr. (Eastern Cape, Western Cape, Kwazulu-Natal)		
<b>Dietta capito</b> (Fairmaire, 1903b)			Madagascar		
<b>Dietta endroedyi</b> Peck, 2003			S. Afr. (Mpumalanga, Kwazulu-Natal)		
<b>Dietta extradentata</b> Peck, 2003			Madagascar		
<b>Dietta freyana</b> Hlisnikovský, 1968a	Australia: NT				
<b>Dietta longicollis</b> Hlisnikovský, 1968b			Madagascar		
<b>Dietta namaqua</b> Peck, 2003			S. Afr. (Northern Cape)		+
<b>Dietta natalica</b> Hlisnikovský, 1968b			S. Afr. (KwaZulu-Natal, Mpumalanga)		
<b>Dietta nitidicollis</b> (Portevin, 1914c)			S. Afr. (KwaZulu-Natal)		+

<i>Dietta sicardi</i> (Portevin, 1914c)				Madagascar	
<i>Dietta silva</i> Peck, 2003				Madagascar	
<i>Dietta sperata</i> Sharp, 1876e	Australia: Q,SA,WA				
<i>Dietta strigifrons</i> (Portevin, 1914c)				S. Afr. (Eastern Cape, KwaZulu-Natal, Northern)	
LEIODINI					
<i>Afroleiodes</i>					
<i>Afroleiodes capensis</i> Peck, 2003				S Afr	
<i>Afroleiodes karoo</i> Peck, 2003				S. Afr. (Northern Cape)	
<i>Anogdus</i>					
<i>Anogdus trimeni</i> Champion, 1925a				S Afr	+
<i>Ovocyrtusa</i>					
<i>Ovocyrtusa atricornis</i> Daffner, 1985b			CH-A	Chile	
<i>Ovocyrtusa bicolor</i> Daffner, 1985b				Chile	
<i>Ovocyrtusa bipunctata</i> Daffner, 1985b				Chile	
<i>Ovocyrtusa newtoni</i> Daffner, 1985b				Chile	
<i>Ovocyrtusa thayerae</i> Daffner, 1985b				Chile	
<i>Zeadolopus</i>					
<i>Zeadolopus ammophilus</i> (Lea, 1912b)	AUST	NZ	CH-A	S Afr	+
<i>Zeadolopus australis</i> (Champion, 1925a)	Australia: T				
<i>Zeadolopus bakewelli</i> (Champion, 1925a)	Australia: NSW				
<i>Zeadolopus bicoloriclavus</i> (Lea, 1912b)	Australia: SA				
<i>Zeadolopus maoricus</i> Daffner, 1985a		New Zealand: AK,ND,TO			
<i>Zeadolopus megaseta</i> Peck, 2003				S. Afr. (Kwazulu-Natal, Mpumalanga)	
<i>Zeadolopus micropunctatus</i> (Lea, 1912b)	Australia: NSW				
<i>Zeadolopus myrmecophilus</i> (Lea, 1910b)	Australia: T				
<i>Zeadolopus spinipes</i> Broun, 1903		New Zealand: NN			
<i>Zeadolopus tasmaniae</i> (Olliff, 1889b)	Australia: T				

<b>Zeadolopus validipes Daffner, 1985a</b>		New Zealand: ND,WN			
<b>Zeadolopus wiburdi (Lea, 1912b)</b>	Australia: NSW				
<b>Zeadolopus zulu Peck, 2003</b>				S. Afr. (Kwazulu-Natal, Mpumalanga)	
<b>PSEUDOLIODINI</b>					
<b>Colenisia</b>	<b>AUST</b>	<b>NZ</b>			<b>+</b>
<b>Colenisia caledonica Fauvel, 1903a</b>		New Caledonia			<b>+</b>
<b>Colenisia orbiculata Daffner, 1986c</b>		New Caledonia			<b>+</b>
<b>Colenisia parumpunctata Daffner, 1989b</b>	Australia: NSW				
<b>Colenisia punctulata Daffner, 1989b</b>	Australia: NSW				
<b>Colenisia sericea Daffner, 1989b</b>	Australia: NSW				
<b>Colenisia wachteliana Daffner, 1989b</b>	Australia: sQ				
<b>Colenisia zelandica Leschen, 2000</b>		New Zealand: AK,ND,TH			
<b>Dermatohomoeus</b>	<b>AUST</b>			<b>S AFR</b> <b>MAD</b>	<b>+</b>
<b>Dermatohomoeus angelinii Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus annae Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus bulirschii Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus ferrugineus Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus kaszabi Hlisnikovský, 1963b</b>	Australia: nQ				<b>+</b>
<b>Dermatohomoeus madagascarensis Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus micropunctatus Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus similis Švec, 2004</b>				Madagascar	
<b>Dermatohomoeus wachteli Daffner, 1986b</b>	Australia: sQ				
<b>Neohydnobius</b>		<b>CH-A</b>			
<b>Neohydnobius argentinicus (Hlisnikovský, 1964c)</b>		Chile: Tal-Ai; Argentina: N,RN			
<b>Neohydnobius brevis Jeannel, 1962b</b>		Chile: Caut,Chil			

**Zelodes****Zelodes kuscheli** Leschen, 2000**NZ**New Zealand:  
MB,SD**Zelodes minutus** Leschen, 2000

New Zealand

## SCOTOCRYPTINI

**Cyrtusiola****Cyrtusiola anophthalma** Švec, 2004**S AFR** **MAD** **+**

Madagascar

**Cyrtusiola brunnea** Švec, 2004

Madagascar

**Cyrtusiola convexa** Švec, 1996a

Madagascar

**Cyrtusiola dentata** Švec, 2004

Madagascar

**Cyrtusiola punctatipennis** Hlisnikovský,  
1974b

S. Afr.

**+****Cyrtusiola reticulata** Švec, 2004

Madagascar

**Cyrtusiola tibialis** Švec, 2004

Madagascar

**Cyrtusiola truncata** Švec, 1996a

Madagascar

**Pseudocyrtusiola****Pseudocyrtusiola clavigera** Švec, 2004**MAD**

Madagascar

**Termitoglobus****Termitoglobus braunsi** Reichensperger, 1922**S AFR**

S. Afr. (Transvaal)

**Termitoglobus ovulum** Reichensperger,  
1915a

S. Afr. (KwaZulu-Natal)

## SOGDINI

**Euliodes****Euliodes endroedyi** Peck, 2003**S AFR**

S. Afr. (Eastern Cape)

**Euliodes subglobosa** Portevin, 1937a

Lesotho

**Hydnodiaetus****Hydnodiaetus brunneus** Jeannel, 1962b**CH-A**Chile: Ñub-Chil; Argentina:  
N,RN**Hydnodiaetus consobrinus** (Fairmaire &  
Germain, 1859)

Chile: Con; Argentina

<b><i>Isocolon</i></b>	<b>NZ</b>		
<b>Isocolon frontale Broun, 1921a</b>	New Zealand: MC		
<b>Isocolon hilare Broun, 1893a</b>	New Zealand: AK		
<b>Isocolon modestum Broun, 1921a</b>	New Zealand: NN		
<b>Isocolon oruruense Broun, 1923</b>	New Zealand: ND		
<b>Isocolon ovale (Broun, 1893a)</b>	New Zealand: DN		
<b><i>Metahydnobius</i></b>	<b>CH-A</b>		
<b>Metahydnobius basipunctatus (Hlisnikovský, 1964c)</b>	Chile: Nub,Mall; Argentina: RN		
<b>Metahydnobius bicolor (Jeannel, 1962b)</b>	Chile: Con-Chil		
<b>Metahydnobius bimaculatus (Jeannel, 1962b)</b>	Chile: Con-Chil		
<b>Metahydnobius forticornis (Champion, 1918)</b>	Chile: Ñub-Chil; Argentina: N,RN		
<b>Metahydnobius hybridiformis (Hlisnikovský, 1964c)</b>	Argentina: RN		
SILPHIDAE			
NICROPHORINAE			
<b><i>Nicrophorus</i></b>	<b>CH-A</b>		<b>+</b>
<b>Nicrophorus chilensis (Philippi, 1871)</b>	Chile: Cur,Maule,Mall,Vald; Argentina: Tu		
SILPHINAE			
<b><i>Diamesus</i></b>	<b>AUST</b>		<b>+</b>
<b>Diamesus osculans (Vigors, 1825)</b>	Australia: Q,NSW,NT,nWA		<b>+</b>
<b><i>Oxelytrum</i></b>	<b>CH-A</b>		<b>+</b>
<b>Oxelytrum anticola (Guérin-Méneville, 1855)</b>	Chile: Tar		<b>+</b>
<b>Oxelytrum biguttatum (Philippi, 1859)</b>	Chile: Mall-Mag; Argentina: N-TF		
<b>Oxelytrum lineatocolle (Laporte de Castelnau, 1840b)</b>	Chile: Valp-Chil; Argentina: N,RN,Patagonia		



**AUSTRALIA**

ACT Australian Capital Territory  
 LHI Lord Howe Island  
 NSW New South Wales  
 NI Norfolk Island  
 NT Northern Territory  
 Q Queensland  
 SA South Australia  
 T Tasmania  
 V Victoria  
 WA Western Australia

(Macquarie Island is listed under New Zealand)

=====  
**New Zealand** codes follow the system outlined by Crosby, T. K., J. S. Dugdale, and J. C. Watt.1998. Area codes for recording specimen localities in the New Zealand subregion. *New Zealand Journal of Zoology* 25: 175-183.

\* or \*\* indicates codes not used by Crosby et al.; that marked \*\* was also used by Marris, J. W. M. 2000. The beetle (Coleoptera) fauna of the Antipodes Islands, with comments on the impact of mice; and an annotated checklist of the insect and arachnid fauna. *Journal of the Royal Society of New Zealand* 30: 169-195.

=====  
**NOTE**  
 Any of the abbreviations may be preceded by:  
 n (north)            s (south)  
 e (east)            w (west)  
 c (central)  
 =====

**NEW ZEALAND**

TH Three Kings Islands  
 AK Auckland  
 AN Antipodes Islands  
 AU Auckland Islands  
 BO Bounty Islands  
 BP Bay of Plenty  
 BR Buller  
 CA Campbell Island  
 CH Chatham Islands  
 CL Coromandel  
 CO Central Otago  
 DN Dunedin  
 FD Fiordland  
 GB Gisborne  
 HB Hawke's Bay  
 KA Kaikoura  
 KE Kermadec Islands  
 MB Marlborough  
 MC Mid Canterbury  
 MK Mackenzie  
 MQ\*\* Macquarie Island (Australia)  
 NC North Canterbury  
 ND Northland  
 New Caledonia\*  
 NO North Island  
 NN Nelson  
 NZ NO/SO/SI (unknown)  
 OL Otago Lakes  
 RI Rangitikei  
 SC South Canterbury  
 SD Marlborough Sounds  
 SO South Island  
 SI Stewart Island  
 SL Southland  
 SN Snares Islands  
 TK Taranaki  
 TO Taupo  
 WA Wairarapa  
 WD Westland  
 WI Wanganui  
 WN Wellington  
 WO Waikato

**CHILE**

AC Antártica Chilena\* (XII)  
 Acon Aconcagua (pt. V)  
 Ai Aisén+\* (=pt./all XI)  
 Ant Antofagasta\*+ (=pt./all II)  
 Arau Arauco\* (VIII)  
 Ata Atacama+ (ca.= III)  
 Bío Bío-Bío\*+ (=pt./all VIII)  
 Caut Cautín\* (IX)  
 Chac Chacabuco\* (Metrop. Santiago)  
 Chil Chiloe\* (X)  
 Coi Coihaique\* (XI)  
 Col Colchagua\* (VI)  
 Con Concepción\* (VIII)  
 Cop Copiapó\* (III)  
 Coq Coquimbo+ (ca.= IV)  
 CP Capitán Prat\* (XI)  
 Cur Curicó\* (VII)  
 Elq Elqui\* (IV)  
 GC General Carrera\* (XI)  
 Ipa Isla de Pascua (Easter I.)\* (V)  
 JFz Islas Juan Fernandez (V)  
 Lin Linares\* (VII)  
 Ll Llanquihue\* (X)  
 Mag Magallanes\* (XII)  
 Mall Malleco\* (IX)  
 Maule Maule+ (=pt./all VII)  
 Ñub Ñuble\* (VIII)  
 O'H O'Higgins+ (=pt./all VI)  
 Osor Osorno\* (X)  
 Pal Palena\* (X)  
 Par Parinacota\* (I)  
 Quil Quillota\* (V)  
 Sant Santiago\*+ (pt./all Metrop. Santiago)  
 Tal Talca\* (VII)  
 Tar Tarapacá+ (ca.= I)  
 TF Tierra del Fuego\* (XII; part of old Mag)  
 UE Ultima Esperanza\* (XII; part of old Mag)  
 Vald Valdivia\* (X)  
 Valp Valparaíso\*+ (=pt./all V)

**ARGENTINA**

BA Buenos Aires  
 Cat Catamarca  
 Cha Chaco  
 Chu Chubut  
 Cord Córdoba  
 Corr Corrientes  
 DF Distrito Federal  
 ER Entre Ríos  
 FI Falkland Is. (UK; =Islas Malvinas)  
 For Formosa  
 J Jujuy  
 LP La Pampa  
 LR La Rioja  
 M Mendoza  
 Mis Misiones  
 N Neuquén  
 RN Río Negro  
 S Salta  
 SJ San Juan  
 SL San Luis  
 SC Santa Cruz  
 SE Santiago del Estero  
 SF Santa Fe  
 TF Tierra del Fuego  
 Tu Tucumán

=====  
 The government of **Chile** grouped its provinces into regions (I-XII plus a Metropolitan Region around the capital, Santiago) in 1975, and changed some provincial names and/or boundaries. Most data in Chile Distribution probably refer to pre-1975 provinces, some of whose names are used for current numbered regions (+) and/or provinces (\*). Names of some old provinces remain in the current Chilean system **only** as names for larger numbered regions, and **not** for current provinces; these cases are indicated as "ca." (about equal to) a region. Names followed by only a Roman numeral in parentheses are part of that numbered region. This is NOT a complete list of either past or present Chilean provinces.

**SOUTH AFRICA and MADAGASCAR regions**

South African region:  
Rep. South Africa (provinces)  
 Cape (=any or all of E., N., or W. Cape Provinces)  
 E. Cape =Eastern Cape (incl. former Transkei & Pondoland)  
 Free State (=former Orange Free State)  
 Gauteng  
 KwaZulu-Natal (=former Natal; incl. Zululand)  
 Limpopo  
 Mpumalanga  
 N. Cape =Northern Cape  
 Transvaal (now Limpopo + Mpumalanga Provs.)  
 North West  
 W. Cape =Western Cape  
Lesotho (=former Basutoland)  
Swaziland  
 Madagascar region:  
Comoros  
Crozet Is.  
Kerguelen Is.  
Madagascar  
Seychelles (incl. Aldabra Is.)  
Mascarene Is. (Mauritius, Réunion, Rodriguez)

For **South Africa**, most data are from old sources using pre-1994 provinces, some of which are not directly convertible to current provinces. The list above includes all current South African provinces.